Bestchamte Lighting Limited

3/F, #C Building, GaoPu Industrial Districts, JiaoXin, Shijing, Baiyun, Guangzhou

TEL: +86-20-29052212 Mobile: +86-18620504633

Email: manager@bestchamte.net Website: www.bestchamte.com



Moving Head Beam Light 230W 7R

Item No.: BM-230

Voltage: AC100-240V/50-60Hz Power Consumption: 230W

Ballast: Magnetic-ballast

Lamp: 230W chinese local lamp Color: 14 color + blank color wheel Gobo: 17 fixed gobo + blank gobo

Prism: rotation 16-face prism, Bilateral rotation.

Lens: high precision optical lens

Wash effect: adjustable Wash effects angle

Focus: linear adjustment


Dimmer: 0-100% linear adjustment

Pan/Tilt: X axis 540 °Y axis 250 °automatically accurate

positioning

Beam angle: parallel beam angel $0 - 3.8^{\circ}$

Strobe: Double lens strobe (0.5-9 times/ second) Control mode: DMX512 (16CH), Auto, Master/slave





Moving Head Beam Light 230W 7R

Item No.: BM-230H

Voltage: AC100-240V/50-60Hz Power Consumption: 230W Ballast: Magnetic-ballast

Lamp: 230W OSRAM or YODN

Color: 14 color + blank color + colorful rainbow color wheel

Gobo: 11 fixed gobo + blank gobo +6 glass gobos Prism: rotation 8+16+24 faces prism, Bilateral rotation.

Lens: high precision optical 4 films lens Wash effect: adjustable Wash effects angle

Focus: linear adjustment

Dimmer: 0-100% linear adjustment Pan/Tilt: X axis 540 °Y axis 250 °

Beam angle: parallel beam angel $0-3.8^{\circ}$


Strobe: Double lens strobe (0.5-9 times/ second) Control mode: DMX512 (16CH), Auto,Master/slave
















Moving Head Beam Light 260W 9R

Item No.: BM-260

Power: AC110-240V, 50 / 60Hz

Light source: 260W

Dimmer: 0-100% linear adjustment Pan/Tilt: X axis 540 °Y axis 250 °

Strobe: dual chip strobe (0.5-9 times / second) Atomization: 0-100% linear atomization

Focusing: electronic focusing

Prism disk: 16 diamond mirrors, 8 + 16 + 24 honeycomb

diamond mirrors, double diamond mirrors can be

superimposed

Color: 1 fixed color wheel, 13 colors + white light, rainbow

effect speed adjustable, half-step color effect Gobo wheel: with 13 fixed pattern film + blank

Beam angle: parallel beam angle: 0-3.8 Superheated intelligent protection Intelligent light bulb switch control Packing:1pc/carton, 2pcs/flightcase













280W 10R Beam Wash Spot 3IN1 with ZOOM

Item No.: BM-280

Power Supply: 100V-240V AC,50/60Hz

Power Consumption: 470W/220V

Light Source: 10R 280W color temperature: 8000k Ballast: Electronic Ballast Lens: high precision optical lens

Working Lifetime: 2200Hrs

Colors: 1 Color Wheel,13 dichroic colour filters plus white Fixed gobo wheel: with 9 bidirectional and indexable gobos Rotating gobo wheel: 14 fixed gobos, at variable rotation Prism 1: 8-facet circular prism rotating in both directions at

different speeds

Prism 2: 6-facet linear prism rotating in both directions at

different speeds

Zoom: parallel beam angel 0 °-20 ° change Wash effect: adjustable Wash effects angle


Focusing linearly adjustable

Dimmer: 0-100% linear adjustment

Strobe: Double lens strobe (0.5-9 times/ second) Head Movement: X axis 540 °Y axis 270 °

Control Mode: DMX512, Automatic and Master/ slave mode Channel: 16/24 CH Controller can open the lamp and reset,

including delaying function





Waterproof Moving Head Beam Light 350W 17R

Item No.: BM-350WP

Voltage: AC100-240V 50 / 60Hz

Power: 500W

Light source: HRI 350W Ballast: electronic ballast Channel: 16 channels

Color: one color wheel, 13 color chips

Pattern: a fixed pattern plate, 13 patterns + white light, One rotating gobo wheel, 9 gobos + white light

Prisms: two rotatable prisms, one 8 prism and one straight 6

prism

Atomization: gradient atomization, dyeing angle 5-30 degrees

Strobe: 0.5-14 times / second, multiple strobe effects

Optics: High-precision glass optical lens, linear zoom 0-20

degrees

Head Movement: X axis 540 Y axis 270

Features: 16 prism + row mirror, two prisms can be

superimposed, linear zoom in and out. Packing:1pc/carton, 2pcs/flightcase
















350W 17R Beam Wash Spot 3IN1 with ZOOM

Item No.: BM-350

Voltage: AC100-240V 50 / 60Hz

Power: 500W

Light source: HRI 350W Ballast: electronic ballast

Channel: 18/22 two channel modes Color: one color wheel, 13 color chips

Pattern: a fixed pattern plate, 13 patterns + white light, One rotating gobo wheel, 9 gobos + white light

Prisms: two rotatable prisms, one 8 prism and one straight 6

prism

Atomization: gradient atomization, dyeing angle 5-30 degrees

Strobe: 0.5-14 times / second, multiple strobe effects

Optics: High-precision glass optical lens, linear zoom 0-20

degrees

Head Movement: X axis 540 °Y axis 270 °

Features: 16 prism + row mirror, two prisms can be

superimposed, linear zoom in and out. Packing:1pc/carton, 2pcs/flightcase





Moving Head Beam Light 380W 19R

Item No.: BM-380

Voltage: AC100-240V 50 / 60Hz

Power: 600W

Light source: HRI 380W

Control Mode: DMX512, Sound actived, Auto, Master/slave

DMX Channel: 20/24CH

Color: 14 colors + white rainbow effect

Gobo Wheel: 13 fixed gobo + white 7 rotating gobos + white

Focus: Independent Electronic linear focus

Lens: high definition optical lens

Pan/Titl: X axis 540 Y axis 250 automatically accurate

positioning


Dimmer: Smooth dimmer from 0%-100%

Strobe/Shutter: 1-12 times/second high-speed strobe

Prism 1: 24-facet prism Prism 2: 6-facet linear prism

Ballast: electronic Ballast to make the product lighter, brighter,

more stable bulb, energy saving Packing:1pc/carton, 2pcs/flightcase





440W 20R Beam Wash Spot 3IN1 with ZOOM CMY

Item No.: BM-440

Voltage:100v-240v/50-60Hz

Lamp: 440W

CMY: CMYcolor mixing system

CTO: 3200K to 6500K With RDM function

Color wheel: 13 colors + open, Variable direction rainbow

effect with speed adjustable

Fixed Gobo wheel: 14 Gobo + open Rotating Gobo wheel: 7 Gobo + open

Animation wheel: 3 animation wheel + open (can make special

dynamic flame or water effect)

Prism: 8 + 16-facet prism, CW/CCW rotation (Standard, customized is availbale)Auto focusing when zooming ZOOM: Linear motorized Zoom from 3 to 62 angle

Strobe: Preset variable/random stroble and dimming pulse

effect

Pan/Tilt: 540 Pan scanning, 270 Tilt scanning

8/16 -bit smooth PAN/TILT movement Pan / Tilt position automatic correction

Focus:linear focus

