

Bestchamte Lighting Limited

3/F, #C Building, GaoPu Industrial Districts, JiaoXin, Shijing, Baiyun, Guangzhou

TEL : +86-20-29052212

Mobile: +86-18620504633

Email : manager@bestchamte.net

Website: www.bestchamte.com



COB Light **15W RGB 3IN1 with Light Ring**

Item No.: COB-1A

Voltage: AC90-240V 50-60Hz

Material: Plastic ABS

LED: 15W RGB 3IN1

Light Ring: Blue or Yellow or White

Control Mode: Auto, Sound-Control, Master/Slave, Remote Control

Weight : 0.5kg

Size of Product: 12*12*9cm

Size of inner box: 13*13*14cm

Size of Outer Carton: 54*40*43cm

Packing: 36pcs/carton

Weight of Outer Carton: 18kg





COB Light 100W/150W/200W

Item No.: COB-1B

Voltage: AC90-240V 50-60Hz

Power: 100W/150W/200W

Material: Aluminium

LED: 100W/150W/200W

Color of LED: Cold White or Warm White

Temperature of Color: 3200K-5600K

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

DMX Channels : 8CHs

Weight : 2.8kg

Size of Product:27*25*36cm



Waterproof COB Light 100W/150W/200W

Item No.: COB-1C

Voltage: AC90-240V 50-60Hz

Power: 100W/150W/200W

Material: Aluminium

IP Rate : IP65

LED: 100W/150W/200W

Color of LED: Cold White or Warm White

Temperature of Color: 3200K-5600K

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

DMX Channels : 6CHs

Weight : 6kg

Size of Product:27*27*37cm





COB Light with ZOOM 100W/150W/200W/300W

Item No.: COB-1D

Voltage: AC90-240V 50-60Hz

Power: 100W/150W/200W

Material: Aluminium

LED: 100W/150W/200W

Color of LED: Cold White or Warm White

Temperature of Color: 3200K-5600K

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

DMX Channels : 2/3/4CHs

Weight : 5kg

Size of Product:21*22*35cm



COB Light 200W

Item No.: COB-2A

Voltage: AC90-240V 50-60Hz

Power: 200W

Material: Aluminium

LED: 100W*2

Color of LED: Cold White or Warm White

Temperature of Color: 3200K-5600K

Control Mode: Auto,Master/Slave,DMX512

DMX Channels : 6CH

Weight : 4.5kg

Size of Product:37*19*19cm





COB Light 4IN1

Item No.: COB-4A

Voltage: AC90-240V 50-60Hz

Power:200W,LED: 50W*4

Material: Aluminium

Color of LED: Cold White*4 or Warm White*4 or
Cold White*2 +Warm White*2

Control Mode: Auto,Master/Slave,DMX512

Beam Angle:25 °

Temperature of Color: Cold White: 5600K,
Warm White:3200K

DMX:8CH

Weight : 3.5kg, Size of Product:22*23*32cm



Waterproof COB Light 4IN1

Item No.: COB-4B

Voltage: AC90-240V 50-60Hz

Power:200W,LED: 50W*4

Material: Aluminium

Color of LED: Cold White*4 or Warm White*4 or
Cold White*2 +Warm White*2

Control Mode: Auto,Master/Slave,DMX512

Beam Angle:25 °

Temperature of Color: Cold White: 5600K,
Warm White:3200K

DMX:8CH

Weight : 3.5kg, Size of Product:22*23*32cm





Mini COB Light 3IN1

Item No.: COB-4C

Voltage: AC90-240V 50-60Hz

Power:150W

LED: 30W*4 RGB 3IN1


SMD5050*48 RGB 3IN1

Material: Aluminium

Control Mode: Auto,Master/Slave,DMX512

DMX:6/10/18CHs

Size of Product:23.5*23.5*8.5cm



COB Light 400W

Item No.: COB-4D

Voltage: AC90-240V 50-60Hz

Power:400W

LED: 100W*4

Material: Aluminium

Color of LED: Cold White*4 or Warm White*4 or
Cold White*2 +Warm White*2

Control Mode: Auto,Master/Slave,DMX512

DMX:12CH

Weight : 9kg

Size of Product:22*23*32cm





Waterproof COB Light 400W

Item No.: COB-4E

Voltage: AC90-240V 50-60Hz

Power:400W

LED: 100W*4

Material: Aluminium

Color of LED: Cold White*4 or Warm White*4 or
Cold White*2 +Warm White*2

Control Mode: Auto,Master/Slave,DMX512

DMX:2/4/6/8/12CH

Weight : 10.5kg

Size of Product:38*36*22cm



PAR Light 9+1/RGB+UV with remote controller

Item No.: PAR-9+1(A)

Voltage: AC90-240V 50-60Hz

Material: Plastic ABS

LED: R*3,G*3,B*3+UV*1

Control Mode: Auto,Sound-Control,Master/Slave,Remote Control

Weight : 0.5kg

Size of inner box: 13*13*14cm

Size of Outer Carton: 54*40*43cm

Packing: 36pcs/carton

Weight of Outer Carton: 18kg





PAR Light 9*RGB+Magic Ball with remote controller

Item No.: PAR-9+1(B)

Voltage: AC90-240V 50-60Hz

Material: Plastic ABS

LED: R*3,G*3,B*3

Control Mode: Auto,Sound-Control,Master/Slave,Remote Control

Weight : 0.5kg

Size of inner box: 13*13*14cm

Size of Outer Carton: 54*40*43cm

Packing: 36pcs/carton

Weight of Outer Carton: 18kg



PAR Light 9*3W RGB 3IN1+1*10W

Item No.: PAR-9+1(C)

Voltage: AC90-240V 50-60Hz

Material: Plastic ABS

LED: 9*3W RGB 3IN1+1*10W

Control Mode: Auto,Sound-Control,Master/Slave

DMX : 6CHs

Size of Outer Carton: 51*32*78cm

Packing: 18pcs/carton

Weight of Outer Carton: 23.5kg





PAR Light 9*4W RGBW 4IN1+81*0.5W SMD5050

Item No.: PAR-9+1(D)

Voltage: AC90-240V 50-60Hz

Power:80W

Material: Plastic ABS

LED: 9*4W RGB 4IN1+81*0.5W SMD5050

Control Mode: Auto,Sound-Control,Master/Slave

DMX : 2/4/12/22CHs

Size of inner Carton: 24.5*12*25.5cm

Weight : 1.1kg



PAR Light 9*4W RGBW 4IN1+24*0.5W SMD5050

Item No.: PAR-9+1(E)

Voltage: AC90-240V 50-60Hz

Power:80W


Material: Plastic ABS

LED: 9*4W RGB 4IN1+24*0.5W SMD5050

Control Mode: Auto,Sound-Control,Master/Slave

DMX : 2/6/14/24CHs

Size of inner Carton: 24.5*12*25.5cm





PAR Light 15*3IN1 with 4 Patterns

Item No.: PAR-15+4

Voltage: AC90-240V 50-60Hz

Material: Plastic ABS

LED: 15*3W RGB 3IN1+4*3W 3535 LED RGBW

Control Mode: Auto,Sound-Control,Master/Slave,Remote Control

Life:50000hours

Power:30W

DMX:10CHs

Size:19*12*18.5cm

Weight : 1.2kg



PAR Light 12*4IN1+24*3IN1 SMD5050

Item No.: PAR-1210M

Voltage: AC90-240V 50-60Hz

Material: Plastic ABS

LED: 12*10W 4IN1+3IN1 SMD5050*24

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

Power:120W

DMX:8CH





PAR Light 127*3IN1 SMD5050

Item No.: PAR-127

Voltage: AC90-240V 50-60Hz

Material: Plastic ABS

LED: 3IN1 SMD5050*127

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

Power: 40W

DMX: 11CH

N.W: 0.7kg

Size: 21*9*23cm



Mini PAR Light 86* 10 LED

Item No.: PAR-86

Voltage: AC90-240V 50-60Hz

Material: Plastic ABS

LED: 10 LED R*44+G*21+B*21

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

Power: 25W

DMX: 8CH





Mini PAR Light 127* \varnothing 10 LED

Item No.: PAR-127

Voltage: AC90-240V 50-60Hz

Material: Plastic ABS

LED: \varnothing 10 LED RGB 127pcs

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

Power: 45W

DMX: 8CH



Mini PAR Light 91/127* \varnothing 10 LED

Item No.: PAR-91/PAR-127

Voltage: AC90-240V 50-60Hz

Material: Plastic ABS

LED: \varnothing 10 LED RGB 91pcs/127pcs

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

Power: 25W/35W

DMX: 8CH





LED PAR Light 90*2W 4IN1 RGBW

Item No.: PAR-9002

Voltage: AC90-240V 50-60Hz

Material: Plastic ABS

LED: 90*2W 4IN1 RGBW

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

Beam Angle:25 °

Power: 180W

DMX: 6/9/20/25CH



LED PAR Light 921*SMD5050 4IN1 RGBW

Item No.: PAR-921

Voltage: AC90-240V 50-60Hz

Material: Plastic ABS

LED: 921*SMD5050 4IN1 RGBW

Control Mode: Auto,Sound-Control,Master/Slave,DMX512

Beam Angle:120 °

Power: 200W

DMX: 4/7/40CH





Plastic LED PAR 7*3W 3IN1/4IN1,RGB/RGBW

Item No.: PAR-0703P

Voltage: AC90-240V, 50/60Hz

Power: 30w

LEDS: 7*3W 3 in1/4in1 LED

Control: DMX512

3 core interface master/slave,auto running

DMX Channels: 6CH

digital display

Beam angle: 8 °,15 °,25 °,45 °

size: 250*250*160mm

weight: 1.5kg



Plastic LED PAR 18*1W

Item No.: PAR-1801P

Voltage: AC90-240V, 50/60Hz

Power: 20w

LEDS: 18*1W LED

Control: DMX512

3 core interface master/slave,auto running

DMX Channels: 6CH

digital display

Beam angle: 8 °,15 °,25 °,45 °

size: 250*250*160mm

weight: 1.5kg





Plastic LED PAR 36*1W

Item No.: PAR-3601P

Voltage: AC90-240V, 50/60Hz

Power: 40w

LEDS: 36*1W LED

Control: DMX512

3 core interface master/slave, auto running

DMX Channels: 6CH

digital display

Beam angle: 8°, 15°, 25°, 45°

size: 250*250*160mm

weight: 1.5kg



Plastic LED PAR 36*1W UV

Item No.: PAR-3601PUV

Voltage: AC90-240V, 50/60Hz

Power: 40w

LEDS: 36*1W LED UV

Control: DMX512

3 core interface master/slave, auto running

DMX Channels: 6CH

digital display

Beam angle: 8°, 15°, 25°, 45°

size: 250*250*160mm

weight: 1.5kg





Long Face PAR Light 18*10W 4IN1 RGBW

Item No.: PAR-1810L

Voltage: AC90-240V 50-60Hz

Power:180W

LED: 10W*18

Material: Aluminium

Color of LED: RGBW,4IN1

Control Mode: Auto,Master/Slave,DMX512

DMX:8CH

Beam angle: 25 °,45 °



Slim Flat PAR Light 18PCS 4IN1/5IN1/6IN1 with Powercon

Item No.: PAR-1810/PAR-1815/PAR-1818

Voltage: AC90-240V 50-60Hz

Power:200W/300W/400W

LED: 10W*18/15W*18/18W*18

Material: Aluminium

Color of LED: RGBW/RGBWA/ RGBWA+UV


Control Mode: Auto,Master/Slave,DMX512

DMX:8/12CH

Weight : 2.35kg

Size of Product:27*9*27cm





LED PAR64 36*3W

Item No.: PAR-3603A

Voltage:AC90V-240V/50-60Hz

Power: 120W

LED : 36*3W LED

Color : Red 12 ,Green 12 ,Blue 12

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second



LED PAR64 36*3W UV

Item No.: PAR-3603AUV

Voltage:AC90V-240V/50-60Hz

Power: 120W

LED : 36*3W LED

Color : UV*36

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second





LED PAR 36*3W UV

Item No.: PAR-3603BUV

Voltage:AC90V-240V/50-60Hz

Power: 120W

LED : 36*3W LED

Color : UV*36

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second



LED PAR36*3W

Item No.: PAR-3603B

Voltage:AC90V-240V/50-60Hz

Power: 120W

LED : 36*3W LED

Color : Red 12 ,Green 12 ,Blue 12

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second





LED PAR 36*3W RGB 3IN1

Item No.: PAR-3609

Voltage:AC90V-240V/50-60Hz

Power: 120W

LED : 36*3W LED

Color : Red 36 ,Green 36 ,Blue 36

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second



Waterproof LED PAR 36*3W

Item No.: PAR-3603C

Voltage:AC90V-240V/50-60Hz

Power: 120W

LED : 36*3W LED

Color : Red 12 ,Green 12 ,Blue 12

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second





LED PAR 54*3W

Item No.: PAR-5403A

Voltage: AC90V-240V/50-60Hz

Power: 180W

LED : 54*3W LED

Color : R*16 G*16 B*16 W*6 or R*12 G*12 B*12 W*12 A*6

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second



Slim Flat PAR Light 54*3W RGBW with Powercon

Item No.: PAR-5403F

Voltage: AC90-240V 50-60Hz

Power: 150W

LED: 3W*54

Material: Aluminium

Color of LED: R*16+G*16+B*16+W*6

Control Mode: Auto, Master/Slave, DMX512

DMX: 8CH

Weight : 2.8kg

Size of Product: 27*9*27cm





LED PAR 54*3W Warm White

Item No.: PAR-5403W

Voltage:AC90V-240V/50-60Hz

Power: 180W

LED : 54*3W LED

Color : Warm White*54

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second



LED PAR 54*3W RGB 3IN1

Item No.: PAR-5409

Voltage:AC90V-240V/50-60Hz

Power: 180W

LED : 54*3W LED

Color : Red 54 ,Green 54 ,Blue 54

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second





LED PAR 54*3W RGB 3IN1

Item No.: PAR-5409M

Voltage: AC90V-240V/50-60Hz

Power: 180W

LED : 54*3W LED

Color : RGB 3IN1

Beam Angle : 15 ° / 25 ° / 35 ° / 45 ° (Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone music Activate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second



Slim Flat PAR Light 54*3W RGB 3IN1 with Powercon

Item No.: PAR-5409F

Voltage: AC90-240V 50-60Hz

Power: 150W

LED: 3W*54

Material: Aluminium

Color of LED: RGB 3IN1

Control Mode: Auto, Master/Slave, DMX512

DMX: 8CH

Weight : 2.8kg

Size of Product: 27*9*27cm





Waterproof LED PAR 54*3W RGB 3IN1

Item No.: PAR-5409B

Voltage: AC90V-240V/50-60Hz

Power: 180W

LED : 54*3W LED

Color : Red 54 ,Green 54 ,Blue 54

Beam Angle : 15 ° / 25 ° / 35 ° / 45 ° (Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second



Waterproof LED PAR 54*3W

Item No.: PAR-5403B

Voltage: AC90V-240V/50-60Hz

Power: 180W

LED : 54*3W LED

Color : R*16 G*16 B*16 W*6

Beam Angle : 15 ° / 25 ° / 35 ° / 45 ° (Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second





Mini LED PAR 7PCS 4IN1/5IN1/6IN1
Item No.: PAR-0710/PAR-0715/PAR-0718

Voltage: AC90V-240V/50-60Hz
Power: 70W/100W/120W
LED : 7*10W/15W/18W
Color : RGBW/RGBWA/RGBWA+UV
Beam Angle : 15 ° / 25 ° / 35 ° / 45 ° (Selectable)
Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface
Channels : 6/7 CHs , LCD Display
Dimmer : 0-100% Strobe : 1-20 times/Second



Waterproof Mini LED PAR 7PCS 4IN1/5IN1/6IN1
Item No.: PAR-0710B/PAR-0715B/PAR-0718B

Voltage: AC90V-240V/50-60Hz
Power: 70W/100W/120W
LED : 7*10W/15W/18W
Color : RGBW/RGBWA/RGBWA+UV
Beam Angle : 15 ° / 25 ° / 35 ° / 45 ° (Selectable)
Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface
Channels : 6/7 CHs , LCD Display
Dimmer : 0-100% Strobe : 1-20 times/Second





Slim Flat LED PAR 12PCS 4IN1/5IN1/6IN1 with Powercon

Item No.: PAR-1210/PAR-1215/PAR-1218

Voltage:AC90V-240V/50-60Hz

Power: 120W/150W/200W

LED : 12*10W/15W/18W

Color : RGBW/RGBWA/RGBWA+UV

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second



Waterproof LED PAR 12PCS 4IN1/5IN1/6IN1

Item No.: PAR-1210B/PAR-1215B/PAR-1218B

Voltage:AC90V-240V/50-60Hz

Power: 120W/150W/200W

LED : 12*10W/15W/18W

Color : RGBW/RGBWA/RGBWA+UV

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second





LED PAR 18PCS 4IN1/5IN1/6IN1

Item No.: PAR-1810/PAR-1815/PAR-1818

Voltage:AC90V-240V/50-60Hz

Power: 120W/150W/200W

LED : 18*10W/15W/18W

Color : RGBW/RGBWA/RGBWA+UV

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second



Waterproof LED PAR 18PCS 4IN1/5IN1/6IN1

Item No.: PAR-1810B/PAR-1815B/PAR-1818B

Voltage:AC90V-240V/50-60Hz

Power: 120W/150W/200W

LED : 18*10W/15W/18W


Color : RGBW/RGBWA/RGBWA+UV

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second





Waterproof LED PAR with ZOOM 18PCS 4IN1/5IN1/6IN1

Item No.: PAR-1810C/PAR-1815C/PAR-1818C

Voltage: AC90V-240V/50-60Hz

Power: 120W/150W/200W

LED : 18*10W/15W/18W

Color : RGBW/RGBWA/RGBWA+UV

Beam Angle : 6 °-60 °

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 3/4/5/6/9 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second



Plastic LED PAR 24*4W 4IN1 RGBW

Item No.: PAR-2404P

Voltage: AC90V-240V/50-60Hz

Power: 100W

LED : 24*4W 4IN1

Color : RGBW

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second





LED PAR 24PCS 4IN1/5IN1/6IN1

Item No.: PAR-2410/PAR-2415/PAR-2418

Voltage:AC90V-240V/50-60Hz

Power: 240W/300W/400W

LED : 24*10W/15W/18W

Color : RGBW/RGBWA/RGBWA+UV

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second



Waterproof LED PAR 24PCS 4IN1/5IN1/6IN1

Item No.: PAR-2410B/PAR-2415B/PAR-2418B

Voltage:AC90V-240V/50-60Hz

Power: 240W/300W/400W

LED : 24*10W/15W/18W

Color : RGBW/RGBWA/RGBWA+UV

Beam Angle : 15 °/ 25 °/ 35 °/ 45 °(Selectable)

Play mode : Standard DMX512, Master-slave, stand-alone
musicActivate , 3 Core Interface

Channels : 6/7 CHs , LCD Display

Dimmer : 0-100% Strobe : 1-20 times/Second

